



**HDPE**  
COMPRESSION  
FITTINGS  
**PRICE LIST**

### ข้อต่อตรง STRAIGHT COUPLING



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา  |
|------------|-------------|-------|
| 20         | 200         | 60    |
| 25         | 80          | 68    |
| 32         | 50          | 95    |
| 40         | 60          | 150   |
| 50         | 28          | 195   |
| 63         | 26          | 320   |
| 75         | 10          | 400   |
| 90         | 5           | 800   |
| 110        | 6           | 1,000 |

### ข้อต่อตรงลด REDUCING COUPLING



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา |
|------------|-------------|------|
| 25 × 20    | 100         | 75   |
| 32 × 20    | 90          | 78   |
| 32 × 25    | 80          | 80   |
| 40 × 25    | 70          | 110  |
| 40 × 32    | 70          | 120  |
| 50 × 32    | 30          | 190  |
| 50 × 40    | 24          | 195  |
| 63 × 32    | 19          | 210  |
| 63 × 50    | 19          | 260  |
| 75 × 50    | 9           | 400  |
| 75 × 63    | 12          | 400  |
| 90 × 63    | 6           | 550  |
| 90 × 75    | 6           | 560  |
| 110 × 90   | 6           | 900  |

### ข้อต่อตรงเกลียวนอก MALE COUPLING



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 × 1/2"         | 300         | 38   |
| 20 × 3/4"         | 300         | 40   |
| 20 × 1"           | 280         | 40   |
| 25 × 1/2"         | 150         | 42   |
| 25 × 3/4"         | 150         | 42   |
| 25 × 1"           | 150         | 54   |
| 32 × 3/4"         | 100         | 60   |
| 32 × 1"           | 80          | 60   |
| 32 × 1-1/4"       | 80          | 72   |
| 40 × 1"           | 90          | 92   |
| 40 × 1-1/4"       | 80          | 92   |
| 40 × 1-1/2"       | 80          | 100  |
| 50 × 1-1/4"       | 43          | 117  |
| 50 × 1-1/2"       | 43          | 117  |
| 50 × 2"           | 43          | 140  |
| 63 × 1-1/2"       | 36          | 192  |
| 63 × 2"           | 36          | 192  |
| 75 × 2"           | 18          | 282  |
| 75 × 2-1/2"       | 18          | 282  |
| 75 × 3"           | 16          | 330  |
| 90 × 2"           | 6           | 590  |
| 90 × 2-1/2"       | 6           | 590  |
| 90 × 3"           | 9           | 590  |
| 90 × 4"           | 9           | 650  |
| 110 × 2"          | 12          | 800  |
| 110 × 3"          | 6           | 800  |
| 110 × 4"          | 6           | 800  |

### ข้อต่อตรงเกลียวใน FEMALE COUPLING



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 × 1/2"         | 180         | 35   |
| 20 × 3/4"         | 180         | 39   |
| 25 × 1/2"         | 90          | 40   |
| 25 × 3/4"         | 90          | 40   |
| 25 × 1"           | 90          | 51   |
| 32 × 3/4"         | 80          | 52   |
| 32 × 1"           | 80          | 55   |
| 40 × 1-1/4"       | 90          | 125  |
| 50 × 1-1/4"       | 43          | 150  |
| 50 × 1-1/2"       | 43          | 150  |
| 50 × 2"           | 43          | 187  |
| 63 × 1-1/2"       | 36          | 225  |
| 63 × 2"           | 36          | 225  |
| 75 × 2"           | 18          | 375  |
| 75 × 2-1/2"       | 16          | 375  |
| 75 × 3"           | 16          | 410  |
| 90 × 2-1/2"       | 9           | 650  |
| 90 × 3"           | 9           | 650  |
| 90 × 4"           | 9           | 750  |
| 110 × 2"          | 12          | 950  |
| 110 × 3"          | 10          | 950  |
| 110 × 4"          | 6           | 950  |

### ข้อต่อเกลียวนอก 90° 90° MALE ELBOW



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 × 1/2"         | 300         | 44   |
| 20 × 3/4"         | 280         | 45   |
| 25 × 1/2"         | 150         | 45   |
| 25 × 3/4"         | 80          | 47   |
| 32 × 1/2"         | 160         | 70   |
| 32 × 3/4"         | 140         | 70   |
| 32 × 1"           | 130         | 70   |
| 40 × 1-1/4"       | 65          | 122  |
| 40 × 1-1/2"       | 40          | 135  |
| 50 × 1-1/4"       | 48          | 127  |
| 50 × 1-1/2"       | 48          | 127  |
| 50 × 2"           | 48          | 140  |
| 63 × 1-1/4"       | 30          | 205  |
| 63 × 1-1/2"       | 30          | 205  |
| 63 × 2"           | 28          | 205  |
| 75 × 2-1/2"       | 12          | 452  |
| 90 × 3"           | 6           | 500  |
| 90 × 4"           | 6           | 550  |
| 110 × 4"          | 6           | 850  |

### ข้อต่อเกลียวใน 90° 90° FEMALE ELBOW



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 × 1/2"         | 260         | 40   |
| 20 × 3/4"         | 240         | 44   |
| 25 × 1/2"         | 80          | 54   |
| 25 × 3/4"         | 80          | 54   |
| 32 × 1/2"         | 100         | 76   |
| 32 × 3/4"         | 100         | 76   |
| 32 × 1"           | 90          | 78   |
| 40 × 3/4"         | 70          | 150  |
| 40 × 1"           | 70          | 150  |
| 40 × 1-1/4"       | 60          | 150  |
| 40 × 1-1/2"       | 60          | 180  |
| 50 × 1-1/4"       | 48          | 210  |
| 50 × 1-1/2"       | 48          | 210  |
| 50 × 2"           | 48          | 250  |
| 63 × 1-1/4"       | 28          | 280  |
| 63 × 1-1/2"       | 28          | 280  |
| 63 × 2"           | 28          | 280  |
| 75 × 2"           | 12          | 550  |
| 75 × 2-1/2"       | 12          | 550  |
| 90 × 3"           | 6           | 650  |
| 90 × 4"           | 6           | 700  |
| 110 × 4"          | 3           | 850  |

### ข้อต่อ 90° 90° ELBOW



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา |
|------------|-------------|------|
| 20         | 160         | 65   |
| 25         | 90          | 75   |
| 32         | 56          | 100  |
| 40         | 45          | 160  |
| 50         | 32          | 210  |
| 63         | 18          | 340  |
| 75         | 8           | 460  |
| 90         | 4           | 600  |
| 110        | 4           | 850  |

### ฝาอุดปลายท่อ END CAP FOR PIPE



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา |
|------------|-------------|------|
| 20         | 300         | 38   |
| 25         | 170         | 40   |
| 32         | 100         | 55   |
| 40         | 100         | 125  |
| 50         | 40          | 150  |
| 63         | 45          | 240  |
| 75         | 18          | 300  |
| 90         | 6           | 500  |
| 110        | 12          | 800  |

### สามทางเกลียวใน FEMALE TEE



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา  |
|-------------------|-------------|-------|
| 20 x 1/2"         | 150         | 65    |
| 20 x 3/4"         | 130         | 69    |
| 25 x 1/2"         | 64          | 85    |
| 25 x 3/4"         | 64          | 85    |
| 25 x 1"           | 50          | 89    |
| 32 x 1/2"         | 28          | 110   |
| 32 x 3/4"         | 28          | 110   |
| 32 x 1"           | 28          | 110   |
| 40 x 1-1/4"       | 38          | 200   |
| 50 x 1"           | 18          | 290   |
| 50 x 1-1/2"       | 18          | 290   |
| 50 x 2"           | 18          | 330   |
| 63 x 1"           | 16          | 410   |
| 63 x 2"           | 15          | 420   |
| 75 x 2-1/2"       | 5           | 700   |
| 90 x 3"           | 4           | 1,100 |
| 110 x 3"          | 4           | 1,400 |
| 110 x 4"          | 4           | 1,400 |

### สามทางเกลียวนอก MALE TEE



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา  |
|-------------------|-------------|-------|
| 20 x 1/2"         | 150         | 65    |
| 20 x 3/4"         | 130         | 69    |
| 25 x 1/2"         | 64          | 85    |
| 25 x 3/4"         | 80          | 85    |
| 32 x 1/2"         | 28          | 110   |
| 32 x 1"           | 28          | 110   |
| 40 x 1-1/4"       | 28          | 200   |
| 40 x 1-1/2"       | 28          | 240   |
| 50 x 1-1/2"       | 16          | 290   |
| 50 x 2"           | 15          | 330   |
| 63 x 2"           | 15          | 420   |
| 75 x 2-1/2"       | 6           | 700   |
| 90 x 3"           | 4           | 1,100 |
| 90 x 4"           | 3           | 1,200 |
| 110 x 4"          | 2           | 1,400 |

### แคลมป์ปัดท่อแยกเกลียวในออก 2 ด้าน FEMALE TAPPING SADDLE - DOUBLE OUTLET



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 25 x 1/2"         | 140         | 72   |
| 25 x 3/4"         | 140         | 72   |
| 32 x 1/2"         | 140         | 90   |
| 32 x 3/4"         | 140         | 90   |
| 32 x 1"           | 140         | 90   |
| 40 x 1/2"         | 140         | 105  |
| 40 x 3/4"         | 140         | 105  |
| 40 x 1"           | 140         | 105  |
| 50 x 1/2"         | 120         | 132  |
| 50 x 3/4"         | 100         | 132  |
| 50 x 1-1/4"       | 100         | 132  |
| 63 x 1/2"         | 75          | 141  |
| 63 x 3/4"         | 75          | 141  |
| 63 x 1-1/4"       | 75          | 141  |
| 63 x 1-1/2"       | 75          | 141  |
| 75 x 1/2"         | 60          | 174  |
| 75 x 3/4"         | 60          | 174  |
| 75 x 1-1/4"       | 72          | 174  |
| 75 x 1-1/2"       | 72          | 174  |
| 75 x 2"           | 63          | 174  |
| 90 x 1/2"         | 60          | 200  |
| 90 x 3/4"         | 60          | 200  |
| 90 x 1-1/4"       | 60          | 200  |
| 90 x 1-1/2"       | 45          | 200  |
| 90 x 2"           | 36          | 200  |
| 110 x 1/2"        | 30          | 225  |
| 110 x 3/4"        | 42          | 225  |
| 110 x 1-1/4"      | 48          | 225  |
| 110 x 1-1/2"      | 48          | 225  |
| 110 x 3"          | 30          | 225  |
| 125 x 1/2"        | 24          | 329  |
| 125 x 3/4"        | 24          | 329  |
| 125 x 1"          | 24          | 329  |
| 125 x 1-1/2"      | 24          | 329  |
| 125 x 2"          | 24          | 329  |

### แคลมป์ปัดท่อแยกเกลียวใน FEMALE TAPPING SADDLE



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา  |
|-------------------|-------------|-------|
| 25 x 1/2"         | 140         | 46    |
| 25 x 3/4"         | 140         | 46    |
| 32 x 1/2"         | 140         | 60    |
| 32 x 3/4"         | 140         | 60    |
| 32 x 1"           | 140         | 60    |
| 40 x 1/2"         | 140         | 70    |
| 40 x 3/4"         | 140         | 70    |
| 40 x 1"           | 140         | 70    |
| 50 x 1/2"         | 120         | 88    |
| 50 x 3/4"         | 120         | 88    |
| 50 x 1"           | 100         | 88    |
| 50 x 1-1/4"       | 100         | 88    |
| 63 x 1/2"         | 75          | 94    |
| 63 x 3/4"         | 65          | 94    |
| 63 x 1"           | 75          | 94    |
| 63 x 1-1/4"       | 75          | 94    |
| 63 x 1-1/2"       | 75          | 94    |
| 75 x 1/2"         | 60          | 116   |
| 75 x 3/4"         | 72          | 116   |
| 75 x 1"           | 80          | 116   |
| 75 x 1-1/4"       | 72          | 116   |
| 75 x 1-1/2"       | 72          | 116   |
| 75 x 2"           | 63          | 116   |
| 90 x 1/2"         | 60          | 133   |
| 90 x 3/4"         | 60          | 133   |
| 90 x 1"           | 60          | 133   |
| 90 x 1-1/4"       | 60          | 133   |
| 90 x 1-1/2"       | 48          | 133   |
| 90 x 2"           | 48          | 133   |
| 110 x 1/2"        | 30          | 150   |
| 110 x 3/4"        | 42          | 150   |
| 110 x 1"          | 42          | 150   |
| 110 x 1-1/4"      | 48          | 150   |
| 110 x 1-1/2"      | 48          | 150   |
| 110 x 2"          | 36          | 150   |
| 110 x 3"          | 30          | 200   |
| 125 x 1"          | 24          | 240   |
| 125 x 1-1/2"      | 24          | 240   |
| 125 x 2"          | 24          | 240   |
| 140 x 3/4"        | 24          | 496   |
| 140 x 1-1/2"      | 20          | 496   |
| 140 x 2"          | 20          | 496   |
| 160 x 1/2"        | 24          | 503   |
| 160 x 1"          | 20          | 503   |
| 160 x 2"          | 20          | 503   |
| 160 x 3"          | 20          | 503   |
| 200 x 2"          | 10          | 1,040 |
| 200 x 3"          | 10          | 1,040 |
| 200 x 4"          | 10          | 1,040 |

### สามทางลด REDUCING TEE



| ขนาด (มม.)     | บรรจุ/กล่อง | ราคา  |
|----------------|-------------|-------|
| 20 x 25 x 20   | 48          | 88    |
| 25 x 20 x 25   | 35          | 120   |
| 32 x 20 x 32   | 70          | 139   |
| 32 x 25 x 32   | 60          | 150   |
| 40 x 25 x 40   | 27          | 240   |
| 40 x 32 x 40   | 27          | 245   |
| 50 x 25 x 50   | 15          | 280   |
| 50 x 32 x 50   | 15          | 300   |
| 50 x 40 x 50   | 12          | 350   |
| 63 x 32 x 63   | 10          | 450   |
| 63 x 40 x 63   | 13          | 450   |
| 63 x 50 x 63   | 12          | 450   |
| 75 x 50 x 75   | 5           | 840   |
| 75 x 63 x 75   | 5           | 840   |
| 90 x 63 x 90   | 3           | 1,150 |
| 90 x 75 x 90   | 3           | 1,180 |
| 110 x 90 x 110 | 2           | 1,350 |

### สามทาง EQUAL TEE



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา  |
|------------|-------------|-------|
| 20         | 100         | 100   |
| 25         | 50          | 125   |
| 32         | 20          | 165   |
| 40         | 21          | 225   |
| 50         | 12          | 320   |
| 63         | 12          | 480   |
| 75         | 5           | 650   |
| 90         | 2           | 1,000 |
| 110        | 2           | 1,250 |

### ข้อต่อบอลวาล์ว BALL VALVE



| ขนาด (มม.) | บรรจุ/กล่อง | ราคา |
|------------|-------------|------|
| 20         | 105         | 250  |
| 25         | 60          | 300  |
| 32         | 45          | 380  |
| 40         | 21          | 450  |
| 50         | 14          | 490  |
| 63         | 10          | 590  |

### ข้อต่อบอลวาล์วเกลียวนอก MALE BALL VALVE



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 x 1/2"         | 60          | 225  |
| 25 x 3/4"         | 36          | 250  |
| 30 x 1"           | 25          | 315  |
| 40 x 1-1/4"       | 32          | 395  |
| 50 x 1-1/2"       | 20          | 440  |
| 63 x 2"           | 10          | 540  |

### ข้อต่อบอลวาล์วเกลียวใน FEMALE BALL VALVE



| ขนาด (มม. x นิ้ว) | บรรจุ/กล่อง | ราคา |
|-------------------|-------------|------|
| 20 x 1/2"         | 70          | 225  |
| 25 x 3/4"         | 40          | 250  |
| 32 x 1"           | 25          | 315  |
| 40 x 1-1/4"       | 32          | 395  |
| 50 x 1-1/2"       | 21          | 440  |
| 63 x 2"           | 10          | 540  |



FACEBOOK



LINE



WEBSITE

## ห้างหุ้นส่วนจำกัด ธรรมณัฐ คอนสตรัคชั่น

92/15-16 หมู่ 5 ตำบลศาลายา อำเภอพุทธมณฑล จังหวัดนครปฐม 73170

โทรศัพท์ 034 246 246 มือถือ 083 880 9088, 096 861 1753, 089 779 5135, 089 451 8106



FACEBOOK THAMMANAT CONSTRUCTION



LINE ID @THAMMANAT



WWW.THAMMANATPIPE.COM